


Flex Led Neon Light

N1010D-TS



Product Specification

www.starflex.com.au

LED strip colloid specifications comparison

Materials Main parametersSilicone flexible led stripPVC flexible led stripNotesColloid features in -40°CNo crack after 30 daysTotally crackedThe low temperature resistant of silicone is superior than PVC or epoxy materialsColloid features in 120°CNo obvious change after 72 hoursColloid changed into yellow and deformed after 72 hoursThe high temperature resistant of silicone is superior than PVC or epoxyColloid features in 180°CNo obvious change after 72 hoursColloid changed into brown and some melted after 72 hoursOver 150°C, PVC is easily hydrolyzed, Viscosity becomes weaken and easily seperatedSteadily lighted in Seewater for 72 hoursNo obvious change after 72 hoursSerious atomization on the surfaceThe waterproof grade of silicone led strip can reach to IP67, high resistance to addic akail and sat propertiesThermal conductivityGood thermal conductivityNo thermal conductivityPvc and epoxy cannot conduct heat, while silicone has good thermal conductivity				
Colloid features in -40°CNo crack after 30 daysTotally crackedof silicone is superior than PVC or epoxy materialsColloid features in 120°CNo obvious change after 72 hoursColloid changed into yellow and deformed after 2 hoursThe high temperature resistant of silicone is superior than PVC or epoxyColloid features in 120°CNo obvious change after 72 hoursColloid changed into yellow and deformed after 2 hoursThe high temperature resistant of silicone is superior than PVC or epoxyColloid features in 180°CNo obvious change after 72 hoursColloid changed into brown and some melted after 20 minutesOver 150°C, PVC is easily hydrolyzed, Viscosity becomes weaken and easily seperatedSteadily lighted in Seawater for 72 hoursNo obvious change after 72 hoursSerious atomization on the surfaceThe waterproof grade of silicone led strip can reach to IP67, high resistance to acidic alkali and salt propertiesThermal conductivityGood thermal conductivityNo thermal conductivityPvc and epoxy cannot conduct heat, while silicone has good			PVC flexible led strip	Notes
Colloid features in 120°CNo obvious change after 72 hoursyellow and deformed after 2 hoursof silicone is superior than PVC or epoxyColloid features in 180°CNo obvious change after 72 hoursColloid changed into brown and some melted after 20 minutesOver 150°C, PVC is easily hydrolyzed, Viscosity becomes weaken and easily seperatedSteadily lighted in Seawater for 72 hoursNo obvious change after 72 hoursSerious atomization on the surfaceThe waterproof grade of silicone led strip can reach to IP67, high resistance to acidic alkali and salt propertiesThermal conductivityGood thermal conductivityNo thermal conductivityPvc and epoxy cannot conduct heat, while silicone has good	Colloid features in -40°C		Totally cracked	of silicone is superior than PVC
Colloid features in 180°CNo obvious change after 72 hoursbrown and some melted after 20 minuteshydrolyzed, Viscosity becomes weaken and easily seperatedSteadily lighted in Seawater for 72 hoursNo obvious changeSerious atomization on the surfaceThe waterproof grade of silicone led strip can reach to IP67, high resistance to acidic alkali and salt propertiesThermal conductivityGood thermal conductivityNo thermal conductivityPvc and epoxy cannot conduct heat, while silicone has good	Colloid features in 120°C	•	yellow and deformed	of silicone is superior than PVC
Steadily lighted in Seawater for 72 hoursNo obvious changeSerious atomization on the surfacestrip can reach to IP67, high resistance to acidic alkali and salt propertiesThermal conductivityGood thermal conductivityNo thermal conductivityPvc and epoxy cannot conduct heat, while silicone has good	Colloid features in 180°C	Ŭ	brown and some melted	hydrolyzed, Viscosity becomes
Thermal conductivity Good thermal conductivity heat, while silicone has good		No obvious change		strip can reach to IP67, high resistance
	Thermal conductivity		No thermal conductivity	heat, while silicone has good

Product features

- Anti-yellowing and heat resisting silicone glue, chemical resistance acid and alkaline,available for extremely terrible outdoor environment.
- Uniform and soft luminance, no light spot.
- Super brightness large chip, golden wire welded and copper led holder for quicker heat dissipation, higher stability, longer life span.
- Leadless SMT technique (RoHS certificated), smooth welding joint, firm connection of led and pcb.



StarFlex Pty LTD


& TEL: 1800862100



Specification



Dimensions of light



VARIOUS CONNECTIONS

Silicone glue endcap



front cable entry



bottom entry




closed

1) N1010D-TS-WHT

SMD2835, 210 LED/meter											
Part number	Color		Luneh/M (LEDS)	Unit cut	Cut every (LEDS)	LED Qty/M	Voltage	Power/M	Max run length		
2835-210-24V	WW		396	33.33mm	7	210	24V	9.6W	5 meters from one end		
	NW		418								
	CW		412								

N1010D-TS-Accessories



Note: For more accessories, please contact our sales.

Driver & Cotronller



Order code: XLG-150-24-A AC100-305V DC24V 150W IP67, Global certification. Non Dimmable.



Order code: ELG-150-24B AC100-305V DC24V 150W IP67, Global certification 3in1 dimming function: 0-10Vdc, 10V PWM signal and resistance.




Order code: ELG-150-24DA AC100-305V DC24V 150W IP67, Global certification Dali control technology.



Order code: ELG-150-24DA AC100-305V DC24V 150W IP67, Global certification Dali control technology.




Dimmer:1 Channel DC12V/24V, 6A, Dimmer, RF remote with finger touch ring.



Endcap without cable


Cut mark



Remarks: There is a transparent window at the bottom of the light strip,



Make precise vertical cuts at the exact cut position of the light strip.




Please do not arbitrarily cut or cut into a bevel and arc section.

4/7


StarFlex Pty LTD TEL: 1800862100

Installation

This product is suitable for surface mounting or embedded sealing installation. Recommended slot size: Width 10mm, Depth 10mm, gently press the neon sleeve into the slot.



Installation of carrier




StarFlex Pty LTD

(TEL: 1800862100


Cautions

- Please notice that the strips are not bendable to all directions. As the appropriate specific shape and degree, please follow the following instruction.
- LED strips are low voltage products, you must use the power supply (transformer). Please don't connect the led strip directly to the AC 110V or AC 220V. Otherwise, it will burn out the LED strips and lead to safety (security) accidents.
- Please read the specifications thoroughly before installation by professional staff to make sure the safe use.


Wrong bending way



Correct bending way



- Please press the led strip with your palm to slowly insert the led strip into the groove, and gently straighten the led strip above the groove with your right hand.
- Try to keep the led strip in a flat state during the installation process.




- Do not press the led strip with a single finger, it is easy to damage the internal parts of the led strip.
- The bent arc of the led strip should not be too large during installation.

& TEL: 1800862100

Installation Precautions -- Side Mounted

(If the length of the light is more than 2 meters, two persons must work together to install it.)



1.Installer:


- Press the light with the palm of the left hand to slowly load it into the slot. Straighten the light with right hand, hold it and rotate it 90° to droop it in the direction of your hand. See Figure 1.

- Do not bend the luminous surface to the side. See Figure 2.

2. Assistant:

- Cooperate with the installer to lift the reel of the light, and then slowly deliver the light to installer. Do not pull or twist the light during the installation.

Package of neon strip (5M/Roll)



StarFlex Pty LTD

C TEL: 1800862100

